

Air & Dirt Separator Brass

DATA SHEET

First Publication Date: 01/09/2020 Revision: v1 Revision Date:





PRODUCT OVERVIEW

flowvent clean air & dirt separator brass

The **flow**vent clean air & dirt separator brass removes both air and dirt from water systems. When water is heated or the pressure reduced gas microbubbles are released into the system. Microbubbles can be the cause of major problems such as pump failure, corrosion and energy loss.

• Large distance between the water level and the venting valve through a conical air

chamber.

- The bleed valve can be closed with the shut-off valve.
- Solid brass housing.
- Maximum flow velocity: 1.5 m/s.
- Maximum working temperature: 120 °C

MODELS & DIMENSIONS

MODEL	Connection	Ø mm	H mm	Weight kg
flowvent clean 22	22mm	115	283	2.0
flowvent clean ³ / ₄	3/4"	90	283	1.8
flowvent clean 1	1"	104	315	2.3
flowvent clean 11/4	11⁄4''	114	345	2.9
flowvent clean 11/2	11⁄2"	114	345	2.8

All dimensions in mm





This section of the **flow**tech[®] website holds information exclusively for members. Members will need to log in to gain access to these pages.

Our member's will be granted exclusive access to our **flow**view[®] technical resource library. Within this resource is a wide range of product information including data sheets, technical drawings, O&M Manuals and training videos



flowcare AFTER SALES SERVICE

At **flow**tech[®] we operate a network of Service Engineers located throughout the UK who are supported by our offices located in Greater Manchester. The distribution of engineers means that in the majority of cases we are less than 4 hours away from attending a customer call out.

We place great emphasis on providing technical back up to support our Service Engineers in resolving some difficult operational and technical issues. We pride ourselves on completing a project on time, within budget and never leaving a problem unresolved, or a customer waiting. This quality of service has made us the first choice for our customers.

FOR FURTHER INFORMATION OR ASSISTANCE

contact us

Flowtech Water Solutions are experts in water services and water booster sets. We have continuously supplied a wide range of standard and custom products since being founded in 1996.

MANUFACTURE & SUPPLY

TELEPHONE: 0333 200 1756 EMAIL: info@flowtech.org.uk **SERVICE & MAINTENANCE**

TELEPHONE: 0333 200 1813 EMAIL: service@flowtech.org.uk

WEBSITE: www.flowtech.org.uk

ADDRESS : Unit 1 Lock Flight Buildings, Wheatlea Industrial Estate, Wigan, Greater Manchester WN3 6XP United Kingdom



IS0

9001 : 2015 REGISTERED